

Samsung 65" Crystal UHD 4K Signage QE65T

Brand : Samsung

Product family: QET

Product code:
LH65QETELGCXEN

Product name : 65" Crystal
UHD 4K Signage QE65T



- Upscale your business
- Incredible UHD picture quality
- Crisp and vivid color expression

65", LED, 4K UHD (3840 x 2160), 300 nit, 1200:1, 89/89, 8 ms, RJ-45, HDCP, HDMI, RS232, AC 100-240V, 50/60Hz, 1449.4 x 830.3 x 59.9 mm, 21.2 kg

Samsung 65" Crystal UHD 4K Signage QE65T. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 300 cd/m², HD type: 4K Ultra HD. Operating system installed: Tizen 4.0. Product colour: Black

Display		Power	
Display diagonal *	165.1 cm (65")	Power consumption (typical) *	204 W
Display technology *	LCD	Power consumption (sleep)	0.5 W
Display resolution *	3840 x 2160 pixels	Energy efficiency class (SDR)	G
Display brightness *	300 cd/m²	Energy consumption (SDR) per 1000 hours	145 kWh
HD type *	4K Ultra HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50/60 Hz
Response time	8 ms	Energy efficiency scale	A to G
Contrast ratio (typical)	1200:1	Computer system	
Dynamic contrast ratio marketing name	Mega DCR	Operating system installed	Tizen 4.0
Viewing angle, horizontal	89°	Weight & dimensions	
Viewing angle, vertical	89°	Display width	1449.4 mm
Pixel pitch	0.372 x 0.372 mm	Display depth	59.9 mm
Display diagonal (metric)	163 cm	Display height	830.3 mm
Horizontal scan range	15 - 135 kHz	Display weight	21.2 kg
Vertical scan range	24 - 75 Hz	Width	1449.4 mm
Haze rate	2%	Depth	59.9 mm
Pixel frequency (max)	594 MHz	Height	830.3 mm
Colour gamut	72%	Weight	21.2 kg
Ports & interfaces		Weight (with stand)	21.2 kg
HDMI ports quantity *	2	Packaging data	
HDMI version	2.0	Package width	1606 mm
HDMI input ports quantity	2	Package depth	184 mm
USB port *	✓	Package height	963 mm
USB ports quantity	1	Package volume	29400 cm³
Audio (L/R) out	1	Package weight	27.5 kg
RS-232 interface	✓	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Certificates	
Product colour *	Black	Certification	60950-1
Screen shape	Flat	Network	
VESA mounting *	✓	Ethernet LAN *	✓
Panel mounting interface	400 x 300 mm	Wi-Fi *	✗
Bezel type	3 Bezel-less	Technical details	
Bezel colour	Black	Compliance certificates	Electromagnetic Compatibility (EMC)
Performance			
Purpose *	Commercial		
HDCP	✓		

Performance		Other features	
HDCP version	2.2	Flash memory	8000 MB
		Optional features	WMN4277SE

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date