



## LevelOne 5-Port Fast Ethernet Switch, 1 x SC Multi-Mode Fiber

**Brand :** LevelOne

**Product code:** FEU-0511

**Product name :** 5-Port Fast Ethernet Switch, 1 x SC Multi-Mode Fiber

4 x Fast Ethernet RJ-45, 1 x 100Base-FX SC MM, 1K MAC, 2km, 5VDC, 6W, IEEE 802.3u/x  
LevelOne 5-Port Fast Ethernet Switch, 1 x SC Multi-Mode Fiber. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 4. Full duplex. MAC address table: 1024 entries. Networking standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack



| Ports & interfaces                              |                                      | Performance                       |                 |
|-------------------------------------------------|--------------------------------------|-----------------------------------|-----------------|
| Basic switching RJ-45 Ethernet ports quantity * | 4                                    | Buffer size                       | 384 KB          |
| Basic switching RJ-45 Ethernet ports type *     | Fast Ethernet (10/100)               | Maximum data transfer rate        | 200 Mbit/s      |
| Fiber ports quantity                            | 1                                    | Plug and Play                     | ✓               |
| Fiber optic connector                           | SC, ST                               | Power                             |                 |
| Power connector                                 | DC-in jack                           | Output voltage                    | 5 V             |
| Network                                         |                                      | Output current                    | 2.5 A           |
| Networking standards *                          | IEEE 802.3, IEEE 802.3u, IEEE 802.3x | Power consumption (max)           | 6 W             |
| 10G support *                                   | ✗                                    | Power over Ethernet (PoE)         |                 |
| Copper ethernet cabling technology              | 10BASE-T, 100BASE-FX, 100BASE-TX     | Power over Ethernet (PoE) *       | ✗               |
| Cable types supported                           | Cat5                                 | Operational conditions            |                 |
| Full duplex                                     | ✓                                    | Operating temperature (T-T)       | 0 - 45 °C       |
| Auto MDI/MDI-X                                  | ✓                                    | Storage temperature (T-T)         | -20 - 90 °C     |
| Auto-negotiation                                | ✓                                    | Operating relative humidity (H-H) | 10 - 90%        |
| Optical fiber                                   |                                      | Weight & dimensions               |                 |
| Fiber ethernet cabling technology               | 100BASE-FX                           | Width                             | 96 mm           |
| Fiber type                                      | Multi-mode                           | Depth                             | 112 mm          |
| Transmission distance (max)                     | 2 km                                 | Height                            | 30 mm           |
| Data transmission                               |                                      | Weight                            | 380 g           |
| MAC address table *                             | 1024 entries                         | Packaging content                 |                 |
| Store-and-forward                               | ✓                                    | Quick start guide                 | ✓               |
| Packet forwarding rate (100 Mbps)               | 148800 pps                           | Packaging data                    |                 |
| Packet forwarding rate (10 Mbps)                | 14880 pps                            | AC adapter included               | ✓               |
| Design                                          |                                      | Rubber feet                       | ✓               |
| Rack mounting *                                 | ✗                                    | Package width                     | 140 mm          |
| Stackable *                                     | ✗                                    | Package depth                     | 250 mm          |
| Product colour                                  | Black, Grey                          | Package height                    | 55 mm           |
| Housing material                                | Metal                                | Package weight                    | 540 g           |
| LED indicators                                  | Activity, Link, Power                | Certificates                      |                 |
|                                                 |                                      | Certification                     | FCC Class B, CE |

**Logistics data**

|                             |          |
|-----------------------------|----------|
| Country of origin           | Taiwan   |
| Harmonized System (HS) code | 85176990 |



5050914832063



4015867174838



0846359006665



846359006665

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.