

Epson EcoTank ET-4800 Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi

Brand : Epson

Product family: EcoTank

Product code: C11CJ65402

Product name : ET-4800

Dye Ink, 5760 x 1440 DPI, Print, Scan, Copy, Fax, USB, WiFi, 5 kg

Epson EcoTank ET-4800. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 5760 x 1440 DPI, Print speed (colour, normal quality, A4/US Letter): 15 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Mono faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



Printing

Duplex printing mode	Manual
Print technology *	Inkjet
Printing *	Colour printing
Duplex printing *	✓
Maximum resolution *	5760 x 1440 DPI
Print speed (black, normal quality, A4/US Letter) *	33 ppm
Print speed (colour, normal quality, A4/US Letter)	15 ppm
Print speed (ISO/IEC 24734) black	10 ppm
Print speed (ISO/IEC 24734) colour	5 ppm
Time to first page (black, normal)	10 s
Time to first page (colour, normal)	16 s
Borderless printing	✓

Copying

Copying *	Colour copying
-----------	----------------

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	1200 x 2400 DPI
Scanner type *	Flatbed scanner
Scan technology	CIS
Scan speed (black)	4.5 inch/min
Scan speed (colour)	4.5 inch/min
Image formats supported	BMP, JPEG, PICT, TIFF, PNG
Document formats supported	PDF

Fax

Faxing *	Mono faxing
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	100 pages

Ports & interfaces

Direct printing *	✓
USB port	✓

Network

Wi-Fi *	✓
Ethernet LAN *	✓
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES
Mobile printing technologies	Apple AirPrint

Design

Product colour *	Black
Market positioning *	Home & office
Built-in display *	✓
Display	LCD
Display diagonal	3.81 cm (1.5")
Colour display	✓

Power

Power consumption (copying)	12 W
Power consumption (ready)	4.5 W
Power consumption (sleep)	0.7 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.13 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 8, Windows 7, Windows Vista, Windows 8.1
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Fax		System requirements	
Auto-redialing	✓	Server operating systems supported	Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2008 R2, Windows Server 2016
Fax speed dialing (max numbers)	100		
Fax forwarding to	PC		
Error Correction Mode (ECM)	✓		
Features		Weight & dimensions	
Duplex functions *	Print	Width	375 mm
Number of print cartridges *	4	Depth	347 mm
Printing colours *	Black	Height	237 mm
Country of origin	Philippines	Weight	5 kg
Input & output capacity		Packaging data	
Total number of input trays *	1	Package width	420 mm
Total input capacity *	100 sheets	Package depth	445 mm
Total output capacity *	30 sheets	Package height	300 mm
Multi-Purpose tray	✓	Package weight	6.84 kg
Multi-Purpose tray input capacity	100 sheets	Quantity per pack	1 pc(s)
Auto document feeder (ADF) input capacity	30 sheets	Packaging content	
Paper handling		Cartridge(s) included	✓
Maximum ISO A-series paper size *	A4	Included cartridge capacity (black)	3600 pages
Paper tray media types *	Photo paper, Plain paper	Included cartridge capacity (CMY)	6500 pages
ISO A-series sizes (A0...A9) *	A4, A5, A6	Cables included	AC
ISO B-series sizes (B0...B9)	B5, B6	Warranty card	✓
Envelopes sizes	10, C6, DL	Logistics data	
Photo paper sizes	9x13,13x20,20x25	Harmonized System (HS) code	84433100
		Pallet gross weight	0 g
		Products per pallet	25 pc(s)
		Pallet weight (UK)	0 g
		Products per pallet (UK)	35 pc(s)
		Other features	
		Printing method	Epson Micro Piezo
		Number of users	4 user(s)
		Fax polling	✓
		Print head nozzles	180 nozzles black, 59 nozzles per colour



8715946684017

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.