

Philips 43BDL4511D/00 Signage Display Digital A-board 109.2 cm (43") 500 cd/m² 4K Ultra HD Black 24/7

Brand : Philips

Product code: 43BDL4511D/00

Product name : 43BDL4511D/00

Philips 43BDL4511D/00. Product design: Digital A-board. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black

Display		Performance	
Display diagonal *	109.2 cm (43")	On Screen Display (OSD)	✓
Display resolution *	3840 x 2160 pixels	On Screen Display (OSD) languages	Arabic
Display brightness *	500 cd/m²	Operating hours (hours/days)	24/7
HD type *	4K Ultra HD	Power	
Native aspect ratio	16:9	Power consumption (typical) *	62 W
Response time	8 ms	Power consumption (standby) *	0.5 W
Contrast ratio (typical)	1200:1	Power consumption (max)	170 W
Contrast ratio (dynamic)	500000:1	Energy efficiency class (SDR)	G
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours	71 kWh
Viewing angle, vertical	178°	AC input voltage	100/240 V
Display number of colours	1.07 billion colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.2451 x 0.2451 mm	Energy efficiency scale	A to G
Display diagonal (metric)	108 cm	Computer system	
Panel life	50000 h	Video formats supported	H.263, H.264, H.265, MPEG
Ports & interfaces		Audio formats supported	AAC, HE-AAC
HDMI ports quantity *	3	Image formats supported	BMP, JPEG, PNG
HDMI version	2.0	Weight & dimensions	
DVI port *	✓	Display width	973 mm
DVI-I ports quantity	1	Display depth	63.5 mm
DisplayPorts quantity *	2	Display height	561.2 mm
DisplayPorts in	1	Display weight	10.7 kg
DisplayPorts out	1	Base width	56.1 cm
USB port *	✓	Packaging content	
USB ports quantity	2	Remote control included	✓
USB version	2.0	Batteries included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	AC, IR sensor, RS-232
Audio (L/R) in	1	Operational conditions	
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
RS-232C	✓	Operating relative humidity (H-H)	20 - 80%
Remote (IR) input	1	Storage temperature (T-T)	-20 - 60 °C
Remote (IR) output	1	Storage relative humidity (H-H)	5 - 95%
OPS module slot	✓	Certificates	
Audio		Certification	CE FCC Class A CCC Restriction of Hazardous Substances (ROHS) CB BSMI EMF VCCI PSB ETL CECP EAC Energy Star 8.0
Built-in speaker(s) *	✓	Network	
Number of built-in speakers	2	Ethernet LAN *	✓
RMS rated power	10 W	Other features	
Design		Maximum refresh rate	60 Hz
Product design *	Digital A-board		
Placement supported *	Indoor		
Product colour *	Black		
VESA mounting *	✓		
Panel mounting interface	200 x 200 mm		

Performance

Purpose * Commercial



8712581778644

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.