



**DELL Pro Max 16 MC16250 Intel Core Ultra 7 265H Mobile workstation 40.6 cm (16") Full HD+ 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX PRO 1000 Blackwell Wi-Fi 7 (802.11be) Windows 11 Pro German Black**



**Brand :** DELL

**Product family:** Pro

**Product code:** 4JWK2

**Product name :** MC16250

DELL Pro Max 16 MC16250. Product type: Mobile workstation, Form factor: Clamshell. Processor family: Intel Core Ultra 7, Processor model: 265H. Display diagonal: 40.6 cm (16"), HD type: Full HD+, Display resolution: 1920 x 1200 pixels. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel Arc 140T, Discrete graphics card model: NVIDIA RTX PRO 1000 Blackwell. Operating system installed: Windows 11 Pro. Product colour: Black

| Design                            |                             | Camera                                            |                                                                                                           |
|-----------------------------------|-----------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Colour name                       | Magnetite                   | Video capturing speed                             | 30 fps                                                                                                    |
| Product type *                    | Mobile workstation          | Infrared (IR) camera                              | ✓                                                                                                         |
| Product colour *                  | Black                       | Privacy camera                                    | ✓                                                                                                         |
| Form factor *                     | Clamshell                   | Privacy type                                      | Privacy shutter                                                                                           |
| Market positioning                | Business                    | <b>Network</b>                                    |                                                                                                           |
| Intel® vPro™ Platform Eligibility | ✓                           | Top Wi-Fi standard *                              | Wi-Fi 7 (802.11be)                                                                                        |
| Display                           |                             | Wi-Fi standards                                   | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) |
| Display diagonal *                | 40.6 cm (16")               | Mobile network connection *                       | ✗                                                                                                         |
| Display resolution *              | 1920 x 1200 pixels          | Wi-Fi band                                        | Tri-band (2.4 GHz / 5 GHz / 6 GHz)                                                                        |
| Touchscreen *                     | ✗                           | Antenna type                                      | 2x2                                                                                                       |
| HD type                           | Full HD+                    | WLAN controller model                             | Intel Wi-Fi 7 BE201                                                                                       |
| Panel type                        | WVA                         | WLAN controller manufacturer                      | Intel                                                                                                     |
| Native aspect ratio               | 16:10                       | Ethernet LAN                                      | ✓                                                                                                         |
| Anti-glare screen                 | ✓                           | Ethernet LAN data rates                           | 10,100,1000 Mbit/s                                                                                        |
| Display brightness                | 300 cd/m²                   | Bluetooth                                         | ✓                                                                                                         |
| Pixel density                     | 142 ppi                     | WWAN                                              | Upgradable                                                                                                |
| Display diagonal (metric)         | 40.646 cm                   | Ports & interfaces                                |                                                                                                           |
| RGB colour space                  | NTSC                        | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2                                                                                                         |
| Colour gamut                      | 45%                         | Ethernet LAN (RJ-45) ports                        | 1                                                                                                         |
| Maximum refresh rate              | 60 Hz                       | HDMI ports quantity *                             | 1                                                                                                         |
| Contrast ratio (typical)          | 1000:1                      | HDMI version                                      | 2.1                                                                                                       |
| Processor                         |                             | Thunderbolt 4 ports quantity                      | 2                                                                                                         |
| Processor manufacturer *          | Intel                       | Intel® Thunderbolt 4                              | ✓                                                                                                         |
| Processor family *                | Intel Core Ultra 7          | Combo headphone/mic port                          | ✓                                                                                                         |
| Processor generation              | Intel Core Ultra (Series 2) | USB Type-C DisplayPort Alternate Mode             | ✓                                                                                                         |
| Processor model *                 | 265H                        | PowerShare                                        | ✓                                                                                                         |
| Processor cores                   | 16                          | Performance                                       |                                                                                                           |
| Processor threads                 | 16                          | Motherboard chipset                               | Intel SoC                                                                                                 |
| Processor boost frequency         | 5.3 GHz                     | Accelerometer                                     | ✓                                                                                                         |
| Performance cores                 | 6                           |                                                   |                                                                                                           |
| Efficient cores                   | 8                           |                                                   |                                                                                                           |
| Low Power Efficient-cores         | 2                           |                                                   |                                                                                                           |

| Processor                                    |                                                | Performance                                |                                                            |
|----------------------------------------------|------------------------------------------------|--------------------------------------------|------------------------------------------------------------|
| Performance-core Max Turbo Frequency         | 5.3 GHz                                        | Hall sensor                                | ✓                                                          |
| Efficient-core Max Turbo Frequency           | 4.5 GHz                                        | Keyboard                                   |                                                            |
| Low Power Efficient-core Max Turbo Frequency | 2.5 GHz                                        | Pointing device                            | Touchpad                                                   |
| Performance-core base frequency              | 2.2 GHz                                        | Numeric keypad *                           | ✓                                                          |
| Efficient-core base frequency                | 1.7 GHz                                        | Keyboard backlit                           | ✓                                                          |
| Low Power Efficient-core Base Frequency      | 700 MHz                                        | Keyboard language                          | German                                                     |
| Processor cache                              | 24 MB                                          | Copilot key                                | ✓                                                          |
| Processor base power                         | 28 W                                           | Software                                   |                                                            |
| Maximum turbo power                          | 115 W                                          | Operating system architecture              | 64-bit                                                     |
| Neural processor unit (NPU)                  |                                                | Trial software                             | Activate Your Microsoft 365 For A 30 Day Trial             |
| Neural processor unit (NPU)                  | Intel AI Boost                                 | Operating system installed *               | Windows 11 Pro                                             |
| Sparsity support                             | ✓                                              | Brand-specific features                    |                                                            |
| Windows Studio effects support               | ✓                                              | Brand specific technologies                | Control Vault 3+, HDR Camera, Express Charge Boost capable |
| AI software frameworks supported by NPU      | DirectML, OpenVINO, Windows ML, ONNX RT, WebNN | Battery                                    |                                                            |
| Total processor performance up to            | 97 TOPs                                        | Battery technology                         | Lithium Polymer (LiPo)                                     |
| NPU performance up to                        | 13 TOPs                                        | Number of battery cells                    | 6                                                          |
| GPU performance up to                        | 75 TOPs                                        | Battery capacity *                         | 96 Wh                                                      |
| Memory                                       |                                                | Battery voltage                            | 11.7 V                                                     |
| Internal memory *                            | 32 GB                                          | Battery recharge time                      | 3 h                                                        |
| Internal memory type                         | DDR5-SDRAM                                     | Fast charging                              | ✓                                                          |
| Memory form factor                           | SO-DIMM                                        | Battery weight                             | 351 g                                                      |
| Memory layout (slots x size)                 | 2 x 16 GB                                      | Power                                      |                                                            |
| Memory slots                                 | 2x SO-DIMM                                     | AC adapter power                           | 130 W                                                      |
| Maximum internal memory *                    | 64 GB                                          | AC adapter frequency                       | 50/60 Hz                                                   |
| Memory channels                              | Dual-channel                                   | AC adapter input voltage                   | 100 - 240 V                                                |
| Memory data transfer rate                    | 5600 MT/s                                      | USB Type-C charging port *                 | ✓                                                          |
| Non-ECC                                      | ✓                                              | USB Type-C required charging power (min) * | 45 W                                                       |
| Storage                                      |                                                | USB Type-C required charging power (max) * | 130 W                                                      |
| Total storage capacity *                     | 1 TB                                           | USB Power Delivery (USB PD)                | ✓                                                          |
| Storage media *                              | SSD                                            | USB charging voltage                       | 20,5 V                                                     |
| Total SSDs capacity                          | 1 TB                                           | Security                                   |                                                            |
| Number of SSDs installed                     | 1                                              | Cable lock slot                            | ✓                                                          |
| SSD capacity                                 | 1 TB                                           | Cable lock slot type                       | Wedge                                                      |
| SSD interface                                | PCI Express 4.0                                | Fingerprint reader                         | ✓                                                          |
| NVMe                                         | ✓                                              | Smart card reader                          | ✓                                                          |
| SSD form factor                              | M.2                                            | Trusted Platform Module (TPM)              | ✓                                                          |
| Self-Encrypting Drive (SED)                  | ✓                                              | Trusted Platform Module (TPM) version      | 2.0                                                        |
| Optical drive type *                         | ✗                                              | Operational conditions                     |                                                            |
| Card reader integrated                       | ✓                                              | Operating temperature (T-T)                | 0 - 35 °C                                                  |
| Compatible memory cards                      | MicroSD (TransFlash), MicroSDHC, MicroSDXC     | Storage temperature (T-T)                  | -40 - 65 °C                                                |
| Graphics                                     |                                                | Operating relative humidity (H-H)          | 10 - 90%                                                   |
| Discrete GPU manufacturer                    | NVIDIA                                         | Storage relative humidity (H-H)            | 0 - 95%                                                    |
| Discrete graphics card model *               | NVIDIA RTX PRO 1000 Blackwell                  | Operating altitude                         | -15.2 - 3048 m                                             |
| Discrete graphics card memory                | 8 GB                                           | Non-operating altitude                     | -15.2 - 10668 m                                            |
| Discrete graphics memory type                | GDDR7                                          | Operating shock                            | 110 G                                                      |
| On-board graphics card *                     | ✓                                              | Non-operating shock                        | 160 G                                                      |
| On-board GPU manufacturer                    | Intel                                          | Operating vibration                        | 0.66 G                                                     |
| Discrete graphics card *                     | ✓                                              | Non-operating vibration                    | 1.3 G                                                      |
| On-board graphics card family                | Intel Arc Graphics                             | Sustainability                             |                                                            |
| On-board graphics card model *               | Intel Arc 140T                                 | Sustainability certificates                | ENERGY STAR, EPEAT Climate +, EPEAT Gold                   |
| Audio                                        |                                                |                                            |                                                            |
| Audio chip                                   | Realtek ALC3329                                |                                            |                                                            |
| Audio system                                 | MaxxAudio Pro                                  |                                            |                                                            |

| Audio                             |                    | Weight & dimensions                          |                      |
|-----------------------------------|--------------------|----------------------------------------------|----------------------|
| Number of built-in speakers       | 2                  | Width                                        | 358 mm               |
| Speakers manufacturer             | Waves              | Depth                                        | 256 mm               |
| Speaker power                     | 2.5 W              | Height (front)                               | 1.51 cm              |
| Built-in microphone               | ✓                  | Height (rear)                                | 1.91 cm              |
| Number of microphones             | 2                  | Weight *                                     | 2.1 kg               |
| Camera                            |                    | Carbon footprint                             |                      |
| Front camera                      | ✓                  | Total carbon footprint (kg of CO2e)          | 118                  |
| Front camera resolution (numeric) | 2.07 MP            | Carbon emissions, manufacturing (kg of CO2e) | 85.196               |
| Front camera resolution           | 1920 x 1080 pixels | Carbon emissions, logistics (kg of CO2e)     | 6.136                |
| Front camera HD type              | Full HD            | Carbon emissions, energy usage (kg of CO2e)  | 25.488               |
|                                   |                    | Carbon emissions, end-of-life (kg of CO2e)   | 1.3                  |
|                                   |                    | PAIA version                                 | GaBi version 1, 2024 |
|                                   |                    | Packaging content                            |                      |
|                                   |                    | AC adapter included *                        | ✓                    |
|                                   |                    | Cables included                              | AC                   |



5397184968857

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.