

Ernitec 0070-04365IR security camera Dome IP security camera Indoor & outdoor Ceiling/Wall/Pole



Brand : Ernitec

Product code: 0070-04365IR

Product name : 0070-04365IR

- 2720 x 1976 @ 30fps WDR (5MP)
- Ultra Wide Dynamic Range 120dB
- Motorised 2.7-12mm P-Iris Lens
- Real Time in all Resolutions
- Multi Codec Support (H.264/H.265)
- HDR Engine Gen3
- ONVIF Profile S/ G/ Q/ T support
- POE (IEEE 802.3af), DC 12V, AC 24V
- IP67, IK10
- 5 year Warranty

Mercury Pro 5MP Dome Camera with 2.7-12mm Motorized Lens & IR 45m, PoE, IP67, IK10 - NDAA

[Ernitec 0070-04365IR security camera Dome IP security camera Indoor & outdoor Ceiling/Wall/Pole:](#)

Mercury SX 365IR

Ernitec 0070-04365IR. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/Wall/Pole, Product colour: White, Form factor: Dome. Camera shutter speed: 1~1/10.000 s, Adjustment shutter speed: Auto/Manual. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"), Number of effective pixels (H x V): 2720 x 1976 pixels. Focal length range: 2.7 - 12 mm

Performance		Audio	
Type *	IP security camera	Audio formats supported	G.711
Placement supported *	Indoor & outdoor	Network	
Connectivity technology *	Wired	Ethernet LAN *	✓
Thermal module	✗	Wi-Fi *	✗
Wide Dynamic Range (WDR)	✓	Bluetooth *	✗
Infrared (IR) cut-off filter	✓	Security	
Alarm input/output	✓	Temperature sensor	✗
Remote viewing	✓	Video motion detection	✓
Design		HTTPS encryption	✓
Form factor *	Dome	Alert notification type	E-mail
Mounting type *	Ceiling/Wall/Pole	Management features	
Product colour *	White	Web-based management	✓
Housing material	Aluminium	Firmware upgradeable	✓
IK code	IK10	Reset button	✓
Weatherproof	✓	Power	
Country of origin	Taiwan	Power source type *	DC, PoE
Camera		Power consumption (Power over Ethernet (PoE))	12.95 W
Camera pan control	✗	Power over Ethernet (PoE)	✓
Camera shutter speed	1~1/10.000 s	Operational conditions	
Adjustment shutter speed	Auto/Manual	Operating temperature (T-T)	-30 - 50 °C
Image sensor		Storage relative humidity (H-H)	10 - 90%
Optical sensor size	25.4 / 3 mm (1 / 3")	Weight & dimensions	
Progressive scan	✓	Width	140 mm
Sensor type *	CMOS	Depth	140 mm
Number of effective pixels (H x V)	2720 x 1976 pixels	Height	140 mm
Lens system		Weight	1 kg
Number of lenses *	1		
Focal length range	2.7 - 12 mm		

Lens system		Packaging data	
Auto focus	✓	Package width	180 mm
Night vision		Package depth	175 mm
Night vision *	✓	Package height	174 mm
Night vision distance	45 m	Package weight	1.1 kg
B/W night vision distance	45 m	Packaging content	
Video		Number of cameras *	1
Total megapixels *	5 MP	Sun shield included	✗
Video compression formats	H.264, H.265, M-JPEG	AC adapter included	✗
Frame rate	50 fps	Other features	
Analog signal format system	Not supported	Audio output	Yes
Video streaming	✓	IR control	Auto
3D NR (Noise Reduction)	✓	Technical details	
Flip & mirror	✓	Audio input	Yes
Privacy masking	✓	Night mode	✓
Time stamp overlay	✓	Power source	DC,PoE
Text caption overlay	✓	Lens type	Varifocal
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Number of video streams	4
Audio		Removable IR-cut filter	✓
Built-in speaker(s)	✗	Suitable for outdoor use	✓



5704174393887

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.