



## DELL Pro Plus P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product family:** Pro Plus

**Product code:** DELL-P2725HE\_5Y

**Product name :** P2725HE

- 68.6cm (27") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 300cd/m<sup>2</sup>, 1500:1

- USB, HDMI, DisplayPort

68.6cm (27") Full HD 1920 x 1080 LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 8ms, 178°/178°, 1500:1

**DELL Pro Plus P2725HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:**

Connect to productivity. Certified by TÜV for 4-star eye comfort, this 27-inch FHD hub monitor offers enhanced visual comfort and offers up to 90W of power delivery.

DELL Pro Plus P2725HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



| Display                        |                                                                                                                                                               | Ports & interfaces                        |               |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|
| Display diagonal *             | 68.6 cm (27")                                                                                                                                                 | HDCP version                              | 1.4           |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                                            | AC (power) in                             | ✓             |
| HD type *                      | Full HD                                                                                                                                                       | <b>Ergonomics</b>                         |               |
| Native aspect ratio *          | 16:9                                                                                                                                                          | VESA mounting *                           | ✓             |
| Display technology *           | LCD                                                                                                                                                           | Panel mounting interface                  | 100 x 100 mm  |
| Panel type *                   | IPS                                                                                                                                                           | Cable management                          | ✓             |
| LED backlight                  | ✓                                                                                                                                                             | Cable lock slot *                         | ✓             |
| Backlight type                 | LED                                                                                                                                                           | Cable lock slot type                      | Kensington    |
| Touchscreen *                  | ✗                                                                                                                                                             | Height adjustment *                       | ✓             |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>                                                                                                                                         | Adjustable height (max)                   | 15 cm         |
| Response time *                | 8 ms                                                                                                                                                          | Pivot                                     | ✓             |
| Anti-glare screen              | ✓                                                                                                                                                             | Pivot angle                               | -90 - 90°     |
| Screen shape *                 | Flat                                                                                                                                                          | Swivelling                                | ✓             |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080) | Swivel angle range                        | -45 - 45°     |
|                                |                                                                                                                                                               | Tilt adjustment                           | ✓             |
| Supported video modes          | 480p, 576p, 720p, 1080p                                                                                                                                       | Tilt angle range                          | -5 - 21°      |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                                        | On Screen Display (OSD)                   | ✓             |
| Maximum refresh rate *         | 100 Hz                                                                                                                                                        | Plug and Play                             | ✓             |
| Viewing angle, horizontal      | 178°                                                                                                                                                          | LED indicators                            | ✓             |
| Viewing angle, vertical        | 178°                                                                                                                                                          | <b>Power</b>                              |               |
| Display number of colours *    | 16.7 million colours                                                                                                                                          | Energy efficiency class (SDR) *           | D             |
| Response time (fast)           | 5 ms                                                                                                                                                          | Energy efficiency class (HDR) *           | Not available |
| Pixel pitch                    | 0.3114 x 0.3114 mm                                                                                                                                            | Energy consumption (SDR) per 1000 hours * | 16 kWh        |
| Pixel density                  | 81.57 ppi                                                                                                                                                     | Power consumption (typical) *             | 16.2 W        |
| Horizontal scan range          | 30 - 110 kHz                                                                                                                                                  | Power consumption (standby) *             | 0.4 W         |
| Vertical scan range            | 48 - 100 Hz                                                                                                                                                   | Power consumption (max)                   | 180 W         |
| Viewable size, horizontal      | 59.8 cm                                                                                                                                                       |                                           |               |

| Display                                      |                       | Power                                    |                           |
|----------------------------------------------|-----------------------|------------------------------------------|---------------------------|
| Viewable size, vertical                      | 33.6 cm               | Power consumption (off)                  | 0.3 W                     |
| Viewable size diagonal                       | 68.6 cm               | AC input voltage                         | 100 - 240 V               |
| Surface hardness                             | 3H                    | AC input frequency                       | 50/60 Hz                  |
| sRGB coverage (typical)                      | 99%                   | Input current                            | 2 A                       |
| Dell ComfortView technology                  | ✓                     | Operational conditions                   |                           |
| Performance                                  |                       | Operating temperature (T-T)              | 0 - 40 °C                 |
| NVIDIA G-SYNC *                              | ✗                     | Storage temperature (T-T)                | -20 - 60 °C               |
| AMD FreeSync *                               | ✗                     | Operating relative humidity (H-H)        | 10 - 80%                  |
| Flicker-free technology                      | ✓                     | Storage relative humidity (H-H)          | 5 - 90%                   |
| Low Blue Light technology                    | ✓                     | Operating altitude                       | 0 - 5000 m                |
| Windows operating systems supported          | Windows 10, Yes       | Non-operating altitude                   | 0 - 12192 m               |
| Mac operating systems supported              | MacOS                 | Weight & dimensions                      |                           |
| Multimedia                                   |                       | Width (with stand)                       | 610.7 mm                  |
| Built-in speaker(s) *                        | ✗                     | Depth (with stand)                       | 192.3 mm                  |
| Built-in camera *                            | ✗                     | Height (with stand)                      | 384.6 mm                  |
| Design                                       |                       | Weight (with stand)                      | 6.01 kg                   |
| Product colour *                             | Black                 | Width (without stand)                    | 610.7 mm                  |
| Front bezel colour                           | Black                 | Depth (without stand)                    | 50 mm                     |
| Feet colour                                  | Grey                  | Height (without stand)                   | 354.7 mm                  |
| Ports & interfaces                           |                       | Weight (without stand)                   | 4.36 kg                   |
| Built-in USB hub *                           | ✓                     | Bezel width (side)                       | 6.4 mm                    |
| USB hub version                              | 3.2 Gen 1 (3.1 Gen 1) | Bezel width (top)                        | 6.4 mm                    |
| Number of USB Type-C upstream ports quantity | 1                     | Bezel width (bottom)                     | 1.2 cm                    |
| USB Type-A downstream ports quantity         | 3                     | Packaging data                           |                           |
| USB Type-C downstream ports quantity         | 1                     | Package weight                           | 8.67 kg                   |
| USB Type-C DisplayPort Alternate Mode        | ✓                     | Packaging content                        |                           |
| USB Power Delivery (USB PD)                  | ✓                     | Stand included                           | ✓                         |
| USB Power Delivery up to                     | 90 W                  | Sustainability                           |                           |
| HDMI *                                       | ✓                     | Sustainability compliance                | ✓                         |
| HDMI ports quantity                          | 1                     | Sustainability certificates              | ENERGY STAR, TCO          |
| HDMI version                                 | 1.4                   | Doesn't contain                          | Arsenic, Mercury, PVC/BFR |
| DisplayPorts quantity                        | 2                     | Other features                           |                           |
| DisplayPort version                          | 1.4                   | RJ-45 ports quantity                     | 1                         |
| Headphone out *                              | ✗                     | Compliance certificates                  | RoHS, TÜV mark            |
| HDCP                                         | ✓                     | Brand-specific features                  |                           |
|                                              |                       | Dell Display Manager (DDM) compatibility | ✓                         |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.