



DELL Pro P P2726HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Grey



Brand : DELL

Product family: Pro P

Product code: DELL-P2726HE

Product name : P2726HE

- 27" LCD IPS
- Full HD, 16:9, 1920 x 1080
- 120Hz, 5ms
- USB Hub, USB PD (96W)
- 27", 1920 x 1080 Edge LED IPS, 120Hz, 16:9, 5ms, 178°/178°, USB PD (96W)

DELL Pro P P2726HE computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Grey:

Equipped for seamless productivity, this 27-inch FHD hub monitor offers extensive connectivity, up to 100W of power delivery, and TÜV-certified 4-star eye comfort.
DELL Pro P P2726HE. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment.
Product colour: Grey

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP version	1.4
Display resolution *	1920 x 1080 pixels	Network	
HD type *	Full HD	Ethernet LAN	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
LED backlight	✓	Cable management	✓
Backlight type	Edge LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (peak)	300 cd/m²	Height adjustment *	✓
Response time *	8 ms	Adjustable height (max)	15 cm
Response time measurement type	GTG (Gray to Gray)	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Swivel angle range	-45 - 45°
		Tilt adjustment	✓
Supported video modes	1080p, 720p, 576p, 480p	Tilt angle range	-5 - 21°
Contrast ratio (typical) *	1500:1	On Screen Display (OSD)	✓
Maximum refresh rate *	120 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	D
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	Not available
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	15 kWh
Response time (fast)	5 ms	Power consumption (typical) *	14.9 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (standby) *	0.5 W
Pixel density	82 ppi	Power consumption (max)	205 W
Viewable size, horizontal	59.8 cm	Power consumption (off)	0.3 W
Viewable size, vertical	33.6 cm	AC input voltage	100 - 240 V
Viewable size diagonal	68.6 cm	AC input frequency	50/60 Hz
Digital horizontal frequency	30 - 135 kHz		

Display		Power	
Digital vertical frequency	48 - 120 Hz	Input current	2.5 A
Surface hardness	3H	Power supply type	Internal
sRGB coverage (typical)	99%	Energy efficiency scale	A to G
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✗	Storage temperature (T-T)	-20 - 60 °C
Flicker-free technology	✓	Operating relative humidity (H-H)	10 - 80%
Low Blue Light technology	✓	Storage relative humidity (H-H)	5 - 90%
Multimedia		Operating altitude	0 - 5000 m
Built-in speaker(s) *	✗	Non-operating altitude	5000 - 12192 m
Built-in camera *	✗	Weight & dimensions	
Design		Width (with stand)	610.7 mm
Market positioning *	Consumer	Depth (with stand)	192.3 mm
Product colour *	Grey	Height (with stand)	534.6 mm
Ports & interfaces		Weight (with stand)	6.14 kg
Built-in USB hub *	✓	Width (without stand)	610.7 mm
USB upstream port type	USB Type-C	Depth (without stand)	50 mm
Number of USB Type-C upstream ports quantity	1	Height (without stand)	354.7 mm
USB Type-A downstream ports quantity	2	Weight (without stand)	4.5 kg
USB Type-C downstream ports quantity	1	Bezel width (side)	6.4 mm
USB Type-C DisplayPort Alternate Mode	✓	Bezel width (top)	6.4 mm
USB Power Delivery (USB PD)	✓	Bezel width (bottom)	1.2 cm
USB Power Delivery up to	96 W	Packaging data	
HDMI *	✓	Package weight	8.92 kg
HDMI ports quantity	11	Packaging content	
HDMI version	1.4	Stand included	✓
DisplayPorts quantity	1	Cables included	Power, USB Type-C to USB Type-C
DisplayPort out quantity	1	Sustainability	
DisplayPort out version	1.4	Sustainability certificates	ENERGY STAR, TCO, TCO10, EPEAT, EPEAT Gold, EPEAT Climate +
Headphone out *	✗	Doesn't contain	PVC/BFR, Arsenic, Mercury
HDCP	✓	Other features	
		Compliance certificates	RoHS



5397321029519

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.