



Canon RF 15-30 mm f4.5-6.3 IS STM MILC Ultra-wide lens Black

Brand : Canon

Product code: 5775C005

Product name : RF 15-30 mm f4.5-6.3 IS STM

Canon RF 15-30 mm f4.5-6.3 IS STM. Component for: MILC, Lens structure (elements/groups): 13/11, Lens type: Ultra-wide lens. Camera brands compatibility: Canon, AF actuator: STM, Lens colour: Black. Product colour: Black. Products per master (outer) case: 6 pc(s), Master (outer) case gross weight: 4.11 kg, Master (outer) case length: 386 mm. Diameter: 7.66 cm, Filter size: 67 mm, Length: 88.8 mm



Lens system		Performance	
Component for *	MILC	Compatible products	Objektivrückdeckel RF, Filterhalter IV (67mm), Canon Schutzfilter (67mm), Canon PL-C B Zirkularpolfilter (67mm), Objektivasche LP1116. Streulichblende nicht im Lieferumfang enthalten.
Lens type *	Ultra-wide lens		
Lens structure (elements/groups) *	13/11		
Lens viewing angle, horizontal	100° 25' - 61° 55'		
Lens viewing angle, vertical	77° 20' - 43° 35'		
Lens viewing angle, diagonal	110° 30' - 71° 35'	Design	Black
Focal length range	15 - 30 mm		
Minimum aperture number *	4.5		
Number of diaphragm blades	7	Waterproof	✗
Maximum aperture number *	6.3	Dustproof	✗
Number of aspheric elements	1	Logistics data	
Image sensor format	Full frame		
Lens mount interface *	Canon RF		
Control ring	✓	Products per master (outer) case	6 pc(s)
Image stabilizer	✓	Master (outer) case gross weight	4.11 kg
Image stabilizer type	Optical Image Stabilization (OIS)	Master (outer) case length	386 mm
Image stabilizer number of stops	5.5	Master (outer) case width	263 mm
Image stabilizer number of stops (OIS)	5.5	Master (outer) case height	237 mm
Image stabilizer number of stops (IBIS x OIS)	7	Products per pallet	180 pc(s)
Performance		Pallet gross length	120 cm
Auto focus	✓	Pallet gross width	80 cm
Manual focus	✓	Pallet gross height	131.5 cm
AF actuator	STM	Quantity per pack	1 pc(s)
Lens colour	Black	Pallet gross weight	199.9 kg
Camera brands compatibility *	Canon	Layers per pallet	5 pc(s)
Maximum magnification	2x	Master (outer) cases per pallet layer	6 pc(s)
Lens coating features	Super Spectra Coating (SSC)	Products per pallet layer	36 pc(s)
Distance information	✓	Weight & dimensions	
		Length	88.8 mm
		Weight	390 g
		Diameter *	7.66 cm
		Filter size *	67 mm

Performance		Packaging data	
Number of Ultra-low Dispersion (UD) elements	2	Package width	122 mm
Lens hood	✓	Package depth	122 mm
Lens hood model	EW-73E	Package height	183 mm
		Package weight	577.5 g
		Packaging content	
		Lens cap included	✓
		Lens cap model	E-67 II
		Rear lens cap included	✓
		Rear lens cap model	RF
		User guide	✓



4549292207347

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.