



DELL PowerEdge T160 server 480 GB Tower (3U) Intel Xeon 6 6325P 3.5 GHz 32 GB DDR5-SDRAM 300 W

Brand : DELL

Product family: PowerEdge

Product code: WYKPV

Product name : T160

- No OS

- Intel Xeon 6 6325P (12MB Cache, 3.5GHz)

- 32GB DDR5-SDRAM (1 x 32) & 480GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6 6325P (12MB Cache, 3.5GHz), 32GB DDR5-SDRAM, 480GB SSD, LAN (Broadcom 5720),

PERC H355 Adapter LP, iDRAC9, Enterprise 16G, 300W, No OS

DELL PowerEdge T160 server 480 GB Tower (3U) Intel Xeon 6 6325P 3.5 GHz 32 GB DDR5-SDRAM 300 W:

The single-socket Dell PowerEdge T160 is a small chassis tower server for customers desiring flexibility, affordability and processing power.

DELL PowerEdge T160. Processor family: Intel Xeon 6, Processor frequency: 3.5 GHz, Processor model: 6325P. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 300 W. Chassis type: Tower (3U)



Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Processor family *	Intel Xeon 6	VGA (D-Sub) ports quantity	1
Processor model *	6325P	Serial ports quantity	1
Processor frequency *	3.5 GHz	Design	
Processor boost frequency	5.2 GHz	Chassis type *	Tower (3U)
Performance cores	4	Product colour	Black
Processor cache	12 MB	Performance	
Number of processors installed	1	Remote administration	iDRAC9, Enterprise 16G
Thermal Design Power (TDP)	55 W	Software	
System bus rate	16 GT/s	Operating system installed *	✗
Processor threads	8	Compatible operating systems *	Canonical Ubuntu Server LTS
Memory types supported by processor	DDR5-SDRAM		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Memory clock speeds supported by processor	4800 MHz	Power	
Memory		Redundant power supply (RPS) support *	✗
Internal memory *	32 GB	Power supply *	300 W
Internal memory type *	DDR5-SDRAM	Number of main power supplies	1
Buffered memory type	Unregistered (unbuffered)	Operational conditions	
Memory slots	4x DIMM	Storage temperature (T-T)	-40 - 65 °C
ECC	✓	Storage relative humidity (H-H)	5 - 95%
Memory layout (slots x size)	1 x 32 GB	Operating altitude	0 - 3048 m
Memory data transfer rate	5600 MT/s	Non-operating altitude	0 - 12000 m
Maximum internal memory *	128 GB	Carbon footprint	
Storage			
Total storage capacity *	480 GB		
Number of SSDs installed	1		
SSD capacity	480 GB		

Storage		Carbon footprint	
SSD interface	SATA III	Total carbon footprint (kg of CO2e)	1182
SSD size	2.5"	Total carbon emissions, standard deviation (kg of CO2e)	924
Supported SSD sizes	2.5"	Carbon emissions, manufacturing (kg of CO2e)	319.14
Number of SSDs supported	2	Carbon emissions, logistics (kg of CO2e)	130.02
RAID support *	✗	Carbon emissions, energy usage (kg of CO2e)	709.2
Supported RAID controllers	PERC H355 Adapter LP	Carbon emissions, end-of-life (kg of CO2e)	23.64
Optical drive type *	✗	Weight & dimensions	
Drive writes per day (DWPD)	1	Width	132.5 mm
Storage drive adapter included	✓	Height	332.5 mm
Storage drive adapter type	2.5" - 3.5"	Packaging content	
Network		Packaging content	European Power Cord 220V
LAN controller	Broadcom 5720	Other features	
Ethernet LAN	✓	Data transfer rate	6 Gbit/s
Cabling technology	10/100/1000Base-T(X)	Bytes per sector	512e
Ethernet interface type	Gigabit Ethernet	Target workload	Read Intensive (RI)
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	2		
USB 2.0 ports quantity	3		



5397184970140

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.