



DELL PowerEdge R6615 server 480 GB Rack (1U) AMD EPYC 9224 2.5 GHz 32 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: 0NMDJ



Product name : R6615

- No OS
- AMD EPYC 9224 (64MB Cache, 2.5GHz)
- 32GB DDR5-SDRAM (2 x 16) & 480GB SSD
- iDRAC9, Enterprise 16G
AMD EPYC 9224 (64MB Cache, 2.5GHz), 32GB DDR5-SDRAM, 480GB SSD, LAN, Front PERC H355 Front Load, iDRAC9, Enterprise 16G, 2 x 700W, No OS

DELL PowerEdge R6615 server 480 GB Rack (1U) AMD EPYC 9224 2.5 GHz 32 GB DDR5-SDRAM 700 W:

Exceptional value and performance

Go beyond the ordinary with 4th generation AMD EPYC™ processors in this dense single-socket server that is packed with value.

DELL PowerEdge R6615. Processor family: AMD EPYC, Processor frequency: 2.5 GHz, Processor model: 9224. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 2 x 16 GB. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 700 W, Redundant power supply (RPS) support. Chassis type: Rack (1U)



Processor		Ports & interfaces	
Processor manufacturer *	AMD	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Processor family *	AMD EPYC	VGA (D-Sub) ports quantity	1
Processor generation	AMD EPYC™ 9004 Series	Expansion slots	
Processor model *	9224	PCI Express x8 slots	2
Processor frequency *	2.5 GHz	PCI Express x16 slots	1
Processor boost frequency	3.7 GHz	Design	
Processor cores	24	Chassis type *	Rack (1U)
Processor cache	64 MB	Product colour	Black
Number of processors installed	1	Performance	
Thermal Design Power (TDP)	200 W	Remote administration	iDRAC9, Enterprise 16G
Processor threads	48	Software	
Memory types supported by processor	DDR5-SDRAM	Operating system installed *	✗
Memory clock speeds supported by processor	4800 MHz	Compatible operating systems *	Canonical Ubuntu Server LTS Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Memory		Power	
Internal memory *	32 GB	Power supply type	H-P PSU(Power supply unit)
Internal memory type *	DDR5-SDRAM	Redundant power supply (RPS) support *	✓
Buffered memory type	Registered (buffered)	Power supply *	700 W
Memory ranking	1	Number of redundant power supplies installed	2
Memory slots	12x DIMM	Power supply input voltage	200 - 240 V
Memory layout (slots x size)	2 x 16 GB	Certificates	
Memory data transfer rate	5600 MT/s	80 PLUS certification	80 PLUS Titanium
Maximum internal memory *	768 GB		
Storage			
Total storage capacity *	480 GB		
Number of SSDs installed	1		
SSD capacity	480 GB		
SSD interface	SATA III		

Storage		Carbon footprint	
SSD size	2.5"	Total carbon footprint (kg of CO2e)	9258
Supported SSD sizes	3.5"	Total carbon emissions, standard deviation (kg of CO2e)	4919
Number of SSDs supported	4	Carbon emissions, manufacturing (kg of CO2e)	1203.54
RAID support *	✗	Carbon emissions, logistics (kg of CO2e)	92.58
Supported RAID controllers	Front PERC H355 Front Load	Carbon emissions, energy usage (kg of CO2e)	7961.88
Hot-Plug support	✓	PAIA version	PAIA 1.3.2, 2022
Optical drive type *	✗	Weight & dimensions	
Drive writes per day (DWPD)	1	Width	482 mm
Storage drive adapter included	✓	Height	42.8 mm
Storage drive adapter type	2.5" - 3.5"	Packaging content	
Network		Packaging content	ReadyRails Sliding Rails Without Cable Management Arm or Strain Relief Bar,Riser Config 1 2x Rack Power Cord 2M (C13/C14 12A) - FGA Only Blank Filler Only
Ethernet LAN	✓	Other features	
Cabling technology	10/100/1000Base-T(X)	Data transfer rate	6 Gbit/s
Ethernet interface type	Gigabit Ethernet	Bytes per sector	512e
Ports & interfaces		Target workload	Read Intensive (RI)
Ethernet LAN (RJ-45) ports *	2		
USB 2.0 ports quantity	2		



5397184980514

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.