



Product code: P2422H

A large, curved monitor is shown from a front-three-quarter perspective. The screen displays a high-resolution landscape image featuring a calm lake in the foreground, lush green grass, and a range of rugged mountains under a blue sky with scattered white clouds. The monitor has a thin bezel and is supported by a silver-colored stand with a rectangular base.

Publication date: 05-MAY-2026. Prints or copies of Information are only valid on the printed Publication date

Display		Weight & dimensions	
Colour depth	6 bit	Weight (with stand)	5.15 kg
sRGB coverage (typical)	99%	Width (without stand)	537.8 mm
Performance		Depth (without stand)	52.1 mm
Flicker-free technology	✓	Height (without stand)	318.5 mm
Low Blue Light technology	✓	Weight (without stand)	3.39 kg
Multimedia		Bezel width (side)	5.38 mm
Built-in speaker(s) *	✗	Bezel width (top)	5.38 mm
Built-in camera *	✗	Bezel width (bottom)	1.67 cm
Design		Packaging data	
Market positioning *	Home	Package weight	7.95 kg
Product colour *	Black	Packaging content	
Front bezel colour	Black	Stand included	✓
Detachable stand	✓	Cables included	AC, DisplayPort, USB
Feet colour	Silver	Quick start guide	✓
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Doesn't contain	PVC/BFR
USB upstream port type	USB Type-B	Carbon footprint	
Number of upstream ports	1	Total carbon footprint (kg of CO2e)	481
USB Type-A downstream ports quantity	4	Total carbon emissions, standard deviation (kg of CO2e)	98
VGA (D-Sub) ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	327
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	40
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	111
HDMI version	1.4	Carbon emissions, end-of-life (kg of CO2e)	2
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	369
DisplayPort version	1.2	PAIA version	1.2.15, 2021
Headphone out *	✗	Other features	
HDCP	✓	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot angle	-90 - 90°		
Swivelling	✓		



0884116398035



884116398035



5704174550785

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.