



Product code: DELL-P3225QE

Product name : P32250E

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort

80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 350cd/m², 1.07b, 8ms, 178°/178°, 1500:1

DELL Pro Plus P3225QE computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black,
Grev:

Stay productive with this 31.5-inch 4K monitor featuring extensive connectivity, and certified by TÜV for 4 star eye comfort.

DELL Pro Plus P3225QE. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey



Display	
Display diagonal *	80 cm (31.5")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✓
Backlight type	Edge LED
Touchscreen *	✗
Display brightness (typical)	350 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Response time (fast)	5 ms
Pixel pitch	0.1816 x 0.1816 mm
Pixel density	140 ppi
Horizontal scan range	30 - 230 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	69.7 cm
Ergonomics	
Height adjustment *	✓
Adjustable height (max)	15 cm
Pivot	✓
Pivot angle	-90 - 90°
Swivelling	✓
Swivel angle range	-30 - 30°
Tilt adjustment	✓
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✓
Plug and Play	✓
LED indicators	✓
Power	
Energy efficiency class (SDR) *	F
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	28 kWh
Power consumption (typical) *	27.8 W
Power consumption (standby) *	0.4 W
Power consumption (max)	205 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2.8 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m

Display		Operational conditions	
Viewable size, vertical	39.2 cm	Non-operating altitude	0 - 12192 m
Viewable size diagonal	80 cm	Weight & dimensions	
Surface hardness	3H	Width (with stand)	713.4 mm
sRGB coverage (typical)	99%	Depth (with stand)	215 mm
Dell ComfortView technology	✓	Height (with stand)	619 mm
Heat dissipation (typical)	94.9 BTU/h	Weight (with stand)	9.16 kg
Performance		Width (without stand)	713.4 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	50 mm
AMD FreeSync *	✗	Height (without stand)	413.1 mm
Flicker-free technology	✓	Weight (without stand)	6.65 kg
Low Blue Light technology	✓	Bezel width (side)	8.05 mm
Windows operating systems supported	Windows 10	Bezel width (top)	7.88 mm
Mac operating systems supported	✓	Bezel width (bottom)	1.3 cm
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package weight	12.9 kg
Built-in camera *	✗	Packaging content	
Design		Stand included	✓
Product colour *	Black, Grey	Cables included	DisplayPort, USB Type-A to USB Type-C, USB Type-C
Front bezel colour	Black	DisplayPort cable length	1.8 m
Feet colour	Grey	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
Built-in USB hub *	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
Number of USB Type-C upstream ports quantity	1	Carbon footprint	
USB Type-A downstream ports quantity	3	Total carbon footprint (kg of CO2e)	328
USB Type-C downstream ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	148.584
USB Type-C DisplayPort Alternate Mode	✓	Carbon emissions, logistics (kg of CO2e)	24.272
USB Power Delivery (USB PD)	✓	Carbon emissions, energy usage (kg of CO2e)	136.12
USB Power Delivery up to	90 W	Carbon emissions, end-of-life (kg of CO2e)	19.024
HDMI *	✓	PAIA version	GaBi version 1, 2024
HDMI ports quantity	1	Other features	
DisplayPorts quantity	1	Compliance certificates	RoHS
DisplayPort version	1.4	Ethernet LAN (RJ-45) ports	1
Headphone out *	✗	Wake-on-LAN	✓
HDCP	✓	Certification	TÜV Rheinland Eye Comfort 3.0
HDCP version	2.2	Brand-specific features	
Ergonomics		Dell Display Manager (DDM) compatibility	✓
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		



5397184962527

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.