

ASUS ROG -STRIX-850P-GAMING power supply unit 850 W 20+4 pin ATX ATX Black

Brand : ASUS

Product family: ROG

Product code: 90YE00W2-B0NA00

Product name : ROG-STRIX-850P-GAMING



ROG Strix 850W Platinum is a cool and quiet PSU with stable power delivery, engineered for efficiency with GaN MOSFET and intelligent stabilizer in striking style
 ASUS ROG -STRIX-850P-GAMING. Total power: 850 W, AC input voltage: 100 - 240 V, Power Factor Correction (PFC) type: Active. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 61 cm, SATA power cable length: 400,120 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Platinum. Product colour: Black, Cooling type: Semi-passive, Number of fans: 1 fan(s). Cables included: CPU, PCIe, SATA, Peripheral (Molex)

Power		Ports & interfaces	
Total power *	850 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	100 cm
Power Factor Correction (PFC) type	Active	Cabling type	Fully-Modular
Combined power (+3.3V)	130 W	Performance	
Combined power (+12V)	850 W	80 PLUS certification *	80 PLUS Platinum
Combined power (+5V)	130 W	Purpose *	PC
Combined power (-12V)	3.6 W	Power supply unit (PSU) form factor *	ATX
Combined power (+5Vsb)	15 W	ATX version	3.1
Max output current (+3.3V)	25 A	Silent mode	✓
Max output current (+12V)	70.8 A	Mean time between failures (MTBF)	120000 h
Max output current (+5V)	25 A	Design	
Max output current (-12V)	0.3 A	Product colour	Black
Max output current (+5Vsb)	3 A	Cooling type	Semi-passive
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Number of fans	1 fan(s)
		Fan location	Top
Ports & interfaces		Packaging content	
Motherboard power connector *	20+4 pin ATX	Cables included	CPU, PCIe, SATA, Peripheral (Molex)
Motherboard power cable length	61 cm	Certificates	
Number of SATA power connectors	6	Compliance certificates	RoHS
SATA power cable length	400,120 mm	Weight & dimensions	
Peripheral (Molex) power connectors (4-pin) *	3	Width	160 mm
Peripheral (Molex) power cable length	400,150 mm	Depth	150 mm
PCI Express power connectors (6+2 pin)	3	Height	86 mm
PCI Express power connectors (16-pin)	1	Weight	1.78 kg
PCI Express power cable length	75 cm		

Packaging data

Package width	320 mm
Package depth	200 mm
Package height	108 mm
Package weight	2.8 kg
Package type	Box



4711387594520

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.