

## Brother RJ-3035B POS printer 203 x 203 DPI Wired & Wireless Direct thermal Mobile printer

**Brand :** Brother

**Product code:** RJ-3035B

**Product name :** RJ-3035B

- Lightweight and compact at 375g
  - Connectivity options include USB and Bluetooth (MFi)
  - Printer command languages include FBPL-EZC (EPL2, ZPL2) and ESC-POS (downloadable)
  - Durable by design with IP54 certification and 2.5m drop testing (with optional case)
  - Fully customisable with a range of accessories
- 3" mobile printer weighing only 375g and printing receipts up to 80mm media width

Brother RJ-3035B POS printer 203 x 203 DPI Wired & Wireless Direct thermal Mobile printer:

The RJ-3035B mobile printer is ideal for printing receipts and tickets. Lightweight and compact, the 3" receipt printer has a range of connectivity options and integrates easily into your existing systems thanks to the supported printer command languages and free of charge Software Development Kits.



| Printing                       |                  | Operational conditions              |                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------|------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Colour                         | ✗                | Storage relative humidity (H-H)     | -30 - 70%                                                                                                                                                                                                                                                                                                                                            |
| Maximum resolution             | 203 x 203 DPI    | System requirements                 |                                                                                                                                                                                                                                                                                                                                                      |
| Print speed                    | 4 lps            | Windows operating systems supported | Windows 10, Windows 7, Windows 8.1                                                                                                                                                                                                                                                                                                                   |
| Print speed                    | 101.6 mm/sec     | Mac compatibility                   | ✓                                                                                                                                                                                                                                                                                                                                                    |
| Print technology *             | Direct thermal   | Mac operating systems supported     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma |
| Type *                         | Mobile printer   |                                     |                                                                                                                                                                                                                                                                                                                                                      |
| Paper handling                 |                  |                                     |                                                                                                                                                                                                                                                                                                                                                      |
| Maximum roll diameter          | 4 cm             |                                     |                                                                                                                                                                                                                                                                                                                                                      |
| Supported paper width          | 80 mm            | Mobile operating systems supported  | Android, iOS                                                                                                                                                                                                                                                                                                                                         |
| Maximum printing width         | 7.2 cm           |                                     |                                                                                                                                                                                                                                                                                                                                                      |
| Maximum media length           | 2.79 m           | Linux operating systems supported   | ✓                                                                                                                                                                                                                                                                                                                                                    |
| Ports & interfaces             |                  | Weight & dimensions                 |                                                                                                                                                                                                                                                                                                                                                      |
| USB port *                     | ✓                | Width                               | 125 mm                                                                                                                                                                                                                                                                                                                                               |
| USB connector                  | Micro-USB B      | Depth                               | 250 mm                                                                                                                                                                                                                                                                                                                                               |
| Bluetooth                      | ✓                | Height                              | 60 mm                                                                                                                                                                                                                                                                                                                                                |
| Bluetooth version              | 5.0              | Weight                              | 650 g                                                                                                                                                                                                                                                                                                                                                |
| Connectivity technology *      | Wired & Wireless | Packaging data                      |                                                                                                                                                                                                                                                                                                                                                      |
| Bluetooth profiles             | SSP              | Quantity per pack                   | 1 pc(s)                                                                                                                                                                                                                                                                                                                                              |
| Near Field Communication (NFC) | ✓                | Package weight                      | 712 g                                                                                                                                                                                                                                                                                                                                                |
|                                |                  | Battery                             |                                                                                                                                                                                                                                                                                                                                                      |
|                                |                  | Rechargeable battery                | ✓                                                                                                                                                                                                                                                                                                                                                    |

| Features                          |                                                                                                                                                                                                                                                                                                                           | Logistics data                        |               |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------|
| Built-in barcodes *               | AZTECCODE, Code 128 (A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked, GS1 DataBar Limited, GS1 DataBar Omnidirectional, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Truncated, GS1-128, MSI, MicroPDF417, PDF417, POSTNET, Plessey, QR Code, UPC-A, UPC-E | Harmonized System (HS) code           | 84433210      |
|                                   |                                                                                                                                                                                                                                                                                                                           | Products per pallet                   | 576 pc(s)     |
|                                   |                                                                                                                                                                                                                                                                                                                           | Pallet gross height                   | 18.3 cm       |
|                                   |                                                                                                                                                                                                                                                                                                                           | Pallet gross weight                   | 426 kg        |
|                                   |                                                                                                                                                                                                                                                                                                                           | Master (outer) cases per pallet       | 48 pc(s)      |
| Internal memory *                 | 32 MB                                                                                                                                                                                                                                                                                                                     | Layers per pallet                     | 8 pc(s)       |
|                                   |                                                                                                                                                                                                                                                                                                                           | Technical details                     |               |
|                                   |                                                                                                                                                                                                                                                                                                                           | Master (outer) cases per pallet layer | 6 pc(s)       |
| Flash memory                      | 16 MB                                                                                                                                                                                                                                                                                                                     | Pallet type                           | 800 x 1200 mm |
| Country of origin                 | China                                                                                                                                                                                                                                                                                                                     | Other features                        |               |
| Design                            |                                                                                                                                                                                                                                                                                                                           | Languages support                     | Multi         |
| Product colour *                  | Black                                                                                                                                                                                                                                                                                                                     | International Protection (IP) code    | IP54          |
| Built-in display                  | ✗                                                                                                                                                                                                                                                                                                                         |                                       |               |
| Power                             |                                                                                                                                                                                                                                                                                                                           |                                       |               |
| Power source type *               | Battery                                                                                                                                                                                                                                                                                                                   |                                       |               |
| Battery technology                | Lithium-Ion (Li-Ion)                                                                                                                                                                                                                                                                                                      |                                       |               |
| Battery recharge time             | 2.5 h                                                                                                                                                                                                                                                                                                                     |                                       |               |
| Operational conditions            |                                                                                                                                                                                                                                                                                                                           |                                       |               |
| Operating temperature (T-T)       | -15 - 50 °C                                                                                                                                                                                                                                                                                                               |                                       |               |
| Storage temperature (T-T)         | 0 - 40 °C                                                                                                                                                                                                                                                                                                                 |                                       |               |
| Operating relative humidity (H-H) | 10 - 90%                                                                                                                                                                                                                                                                                                                  |                                       |               |



4977766802543



0012502658566



012502658566



4977766802598

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.