

ASUS ROG Strix OLED XG27UCDMG computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black

Brand : ASUS

Product family: ROG Strix OLED

Product code: 90LM0B20-B01971

Product name : XG27UCDMG

ROG Strix OLED XG27UCDMG

ASUS ROG Strix OLED XG27UCDMG computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black:

ROG Strix OLED XG27UCDMG Gaming Monitor — 27-inch (26.5-inch viewable) 4K QD-OLED panel, 240Hz, 0.03ms(GTG), OLED Anti-Flicker 2.0, custom heatsink, OLED Care Pro, Neo Proximity Sensor, G-SYNC® compatible, VESA DisplayHDR™ 400 True Black, uniform brightness, 99% DCI-P3, true 10-bit color, DisplayWidget Center

ASUS ROG Strix OLED XG27UCDMG. Display diagonal: 67.3 cm (26.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: QD-OLED, Display surface: Matt, Response time: 0.03 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	67.3 cm (26.5")	HDMI ports quantity	2
Display resolution *	3840 x 2160 pixels	HDMI version	2.1
HD type *	4K Ultra HD	DisplayPorts quantity	1
Native aspect ratio *	16:9	DisplayPort version	1.4
Display technology *	QD-OLED	Headphone out *	✓
Panel type *	OLED	Headphone outputs	1
LED backlight	✓	Built-in KVM switch	✓
Touchscreen *	✗	HDCP	✓
Display brightness (peak)	1000 cd/m ²	HDCP version	2.2
Response time *	0.03 ms	Ergonomics	
Response time measurement type	GTG (Gray to Gray)		
Display surface	Matt		
Anti-glare screen	✓		
Screen shape *	Flat		
Contrast ratio (typical) *	1500000:1		
Maximum refresh rate *	240 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.073 billion colours		
Pixel pitch	0.15525 x 0.15525 mm	VESA mounting *	✓
Viewable size, horizontal	59 cm	Panel mounting interface	100 x 100 mm
Viewable size, vertical	33.3 cm	Wall mountable	✓
Digital horizontal frequency	30 - 590 kHz	Cable lock slot *	✓
Digital vertical frequency	48 - 240 Hz	Cable lock slot type	Kensington
Display diagonal (metric)	68 cm	Height adjustment *	✓
High Dynamic Range (HDR) supported	✓	Adjustable height (max)	12 cm
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Pivot	✓
		Pivot angle	-90 - 90°
		Swivelling	✓
		Swivel angle range	-45 - 45°
		Tilt adjustment	✓
		Tilt angle range	-5 - 20°
		Picture-in-Picture	✓
		Power	
		Energy efficiency class (SDR) *	F

Display		Power	
Colour gamut standard	DCI-P3, sRGB	Energy efficiency class (HDR) *	G
sRGB coverage (typical)	145%	Energy consumption (SDR) per 1000 hours *	25 kWh
DCI-P3 coverage	99%	Energy consumption (HDR) per 1000 hours *	34 kWh
Performance		Power consumption (typical) *	80 W
NVIDIA G-SYNC *	✓	Power consumption (off)	0.3 W
NVIDIA G-SYNC type	G-SYNC Compatible	Power consumption (PowerSave)	0.5 W
AMD FreeSync *	✓	AC input voltage	100 - 240 V
AMD FreeSync type	FreeSync Premium	AC input frequency	50/60 Hz
VESA Adaptive Sync support	✓	Energy efficiency scale	A to G
Flicker-free technology	✓	Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	613 mm
Multimedia		Depth (with stand)	168.7 mm
Built-in speaker(s) *	✗	Height (with stand)	509.4 mm
Built-in camera *	✗	Weight (with stand)	7.44 kg
Design		Width (without stand)	610.3 mm
Market positioning *	Gaming	Depth (without stand)	66.5 mm
Product colour *	Black	Height (without stand)	369.2 mm
Feet colour	Black	Weight (without stand)	5 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	860 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	163 mm
USB Type-A downstream ports quantity	3	Package height	500 mm
USB Type-C downstream ports quantity	1	Package weight	10.3 kg
USB Type-C DisplayPort Alternate Mode	✓	Package type	Box
USB Power Delivery (USB PD)	✓	Sustainability	
USB Power Delivery up to	90 W	Sustainability certificates	Forest Stewardship Council (FSC) Mix
HDMI *	✓	Other features	
		Brand specific technologies	ASUS OLED Care
		Motion blur reduction	✓
		Display viewable area (HxV)	589.97 x 332.93 mm



4711387815243



0197105815247



197105815247

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.