



TP-Link VIGI C430 Dome IP security camera Indoor & outdoor 2304 x 1296 pixels Ceiling

Brand : TP-Link

Product code: VIGI C430(4MM)

Product name : VIGI C430

VIGI 3MP Full-Color Turret Network Camera

TP-Link VIGI C430. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: Black, White, Form factor: Dome. Minimum illumination: 0.005 lx, Lens viewing angle, horizontal: 89.1°, Lens viewing angle, vertical: 45.1°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Lens diameter: 4 mm



Performance		Video	
Type *	IP security camera	Video streaming	✓
Placement supported *	Indoor & outdoor	Noise reduction	✓
Connectivity technology *	Wired	Noise reduction technology	3D noise reduction
Wide Dynamic Range (WDR)	✓	Image quality adjustment	Brightness, Contrast, Sharpness
Day/night mode	✓	Privacy masking	✓
Certification	CE/BSMI/VCCI/ONVIF	Bit rate	64 Kbps to 4 Mbps
Design		Back Light Compensation (BLC)	✓
Form factor *	Dome	Highlight Compensation (HLC)	✓
Mounting type *	Ceiling	Smart IR	✓
Product colour *	Black, White	Network	
Housing material	Plastic	Ethernet LAN *	✓
Camera		Ethernet interface type	Fast Ethernet
Minimum illumination	0.005 lx	Networking standards	IEEE 802.3af, IEEE 802.3at
Lens viewing angle, horizontal	89.1°	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS
Lens viewing angle, vertical	45.1°	Storage	
Lens viewing angle, diagonal	106.9°	Built-in HDD *	✗
Image sensor		Security	
Number of sensors	1	Password protection	✓
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	IP address filtering	✓
Progressive scan	✓	HTTPS encryption	✓
Sensor type *	CMOS	Mirror	✓
Panoramic camera		Password reset via email	✓
Digital Wide Dynamic Range (DWDR) (panoramic camera)	✓	Digest authentication	✓
Lens system			
Number of lenses *	1		

Lens system		Management features	
Lens diameter	4 mm	Web browser	✓
Maximum aperture number	1.6	Behavior analysis	Intrusion detection, Line crossing detection
Night vision		Power	
Night vision *	✓	Power source type *	DC, PoE
Night vision distance	30 m	DC output voltage	12
LED type	IR	Operational conditions	
Video		Operating temperature (T-T)	-30 - 60 °C
Maximum resolution *	2304 x 1296 pixels	Weight & dimensions	
Total megapixels *	3 MP	Width	123 mm
Video compression formats	H.264, H.264+, H.265, H.265+	Depth	83 mm
Frame rate	30 fps	Height	123 mm
		Packaging content	
		Number of cameras *	1
		Mounting kit	✓



4895252501704

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.